

REQUIRED FORMAT FOR ADULT PSYCHOSEXUAL EVALUATION REPORTS

- I. Preliminary Statement
(See SOMB Guidelines)
- II. Identifying Information
Name, birth date, age, evaluation date,
criminal case number, etc.
- III. Synopsis
 - a. Risk level – Low/Moderate/High
 - b. Amenability for treatment
 - c. Pertinent information for court
consideration supported in body of
report, including what lead to
conclusions about risk level and
amenability for treatment
- IV. Referral Information and Nature of
Evaluation
 - a. How referred for evaluation
 - b. Structure of the evaluation
 - c. Applicable statutes
- V. Confidentiality
 - a. Evaluation confidentiality and how
explained to examinee
 - b. Notice and Consent for Psychosexual
Evaluation
- VI. Sources of Information
 - a. List of tests and measures
 - b. Collateral information, interviews, other
relevant sources
- VII. Mental Status Examination and Psychological
Symptoms
 - a. Standard mental status information and
relevant psychological symptoms
 - b. Appearance and behavior observation
- VIII. Background, Criminal and Social History
 - a. Developmental history
 - b. Interpersonal relationships
 - c. Medical history
 - d. Mental health history
 - e. History of harm to self or others
 - f. Education, employment, and/or military
 - g. Prior and current criminality or
delinquency
 - h. Substance use and/or abuse
 - i. Prior responses to juvenile or adult
justice system or other interventions
 - j. Family of origin history
 - k. Recreation/leisure
 - l. Cultural/spiritual
 - m. Capacity to identify problems/solutions
- IX. Description of Current Offense(s)
- X. Sexual History Behavior
 - a. Sexual development, early experiences
 - b. History of age-appropriate, consensual,
non-coercive sexual relationships
 - c. History of being subjected to non-
consensual or coercive sexual behaviors
 - d. Historical and current sexual interests,
fantasies, practices/behaviors
 - e. Sexual functioning, sexual dysfunction
 - f. Use of sexually oriented materials or
services
 - g. Prior sexual offender treatment
 - h. Intent related to treatment
 - i. Offense-related sexual arousal, interests
and preferences
 - j. Evidence or characteristics of paraphilias
 - k. History of sexually abusive behaviors,
documented and unreported
 - l. Number of victims identified through
credible records or sources
 - m. Current and previous victim-related
variables
 - n. Contextual elements of sexually abusive
behaviors
 - o. Attitudes supportive of sexually abusive
behavior
 - p. Demonstrated level of insight, self-
disclosure, denial, and minimization
relative to sexually abusive behavior

- XI. Psychological Test Results (Personality and mood, and Intellectual functioning measures are required; remaining categories are recommended but at the discretion of the evaluator)
 - a. Personality and mood – must use at least one of
 - i. MMPI-2
 - ii. MCMI-III
 - iii. PAI
 - b. Intellectual functioning – must use one of
 - i. Shipley (preferred)
 - ii. WAIS-IV (preferred)
 - iii. Other validated assessment tool
 - c. Psychopathic tendencies – (recommended but optional) such as
 - i. PPI-R
 - ii. PCL-R (Hare)
 - iii. Other validated assessment tool
 - d. Substance abuse – (recommended but optional) such as
 - i. SASSI-3
 - ii. GAIN-I (core)
 - iii. Other validated assessment tool
 - e. Additional optional testing, but not exclusive to
 - i. STAXI-2 (anger)
 - ii. HCR-20
 - iii. SVR-20
 - iv. LSI-R

XII. Current DSM Diagnosis

XIII. Specialized Risk Assessment Measures and Measures of Sexual Behavior

- a. Must Risk assessment must include
 - i. STATIC-99 or STATIC-99R (unless inappropriate for case)
 - ii. STABLE 2007

b. Measurement of sexual behavior must include

iii-i. MSI-II

- ~~b.c.~~ Additional optional measures, but not exclusive to
 - i. ACUTE 2007
 - ii. SORAG
 - iii. VASOR

- iv. Viewing time measure (e.g. Abel screen)
- v. Phallometric testing
- vi. Polygraph

XIV. Risk Variables

- a. Static Variables
- b. Dynamic Variables
- c. Protective Variables
- d. Attach *Sex Offender Static and Dynamic Risk Variables Checklist*

XV. Risk Level

- a. Estimated classification – Low/Moderate/High

XVI. Potential for Future Harm (optional but encouraged)

- a. Level of awareness or insight into potential harm/impact on the victim(s) and others
- b. Most likely victim type and potential harm they could experience based on literature

XVII. Resources for Community Protection, Amenability for Treatment, and Recommended Treatment Focus

- a. Resources for community protection
- b. Amenability for intervention and treatment
- c. Advice regarding treatment
- d. Advice regarding supervision

XVIII. Additional Suggestions for Management (optional)

SEX OFFENDER STATIC AND DYNAMIC RISK VARIABLES CHECKLIST

STATIC RISK VARIABLES

- ___ Offender's age under 35
- ___ History of paraphilia(s)
- ___ History of impulsiveness -or- recklessness
- ___ History of major mental illness (including mood disorder -or- personality disorder -or- psychotic disorder)
- ___ History of substance abuse or dependency as an adolescent
- ___ History of substance abuse or dependency as an adult
- ___ Having ever had a sexual victim that was not related
- ___ Having ever had a sexual victim that was a stranger (knew less than 24 hours)
- ___ Having ever had a sexual victim that was a male
- ___ Having one prior conviction for a sexual offense -or- one to two prior charges for sexual offenses with no convictions
- ___ Having two to three prior convictions for sexual offenses -or- three to five prior charges for sexual offenses with no convictions
- ___ Having four or more prior convictions for sexual offenses -or- six or more prior charges for sexual offenses with no convictions
- ___ History of high density of sexual offending
- ___ History of a conviction for a non-contact sexual offense
- ___ History of multiple sexual offense behaviors and types
- ___ History of grooming a sexual victim
- ___ History of childhood aggression or violence problems prior to age of 15
- ___ History of aggression or violence at and/or after age 15 (including adulthood)
- ___ Victim being physically injured in the course of the sexual offense being committed
- ___ Use of a weapon or threat of death occurring during the sexual offense
- ___ History of family of origin instability associated with the offender not living with parents until age 16
- ___ History of family of origin instability associated with family members having mental illness and/or substance abuse issues
- ___ History of family of origin instability associated with family members having antisocial or criminal issues
- ___ History of family of origin instability associated with the offender witnessing abuse of other family members
- ___ History of the offender experiencing abuse (physical, emotional, or sexual)

- ___ Offender having no history of a long term relationship (never living with lover/romantic partner for two years or longer)
- ___ History of antisocial influences or affiliations
- ___ History of problems with school performance
- ___ History of employment issues
- ___ History of discipline issues in elementary school (1st through 8th grade)
- ___ History of discipline Issues in high school (9th through 12th grade)
- ___ Displaying antisocial behavior prior to the age of 15
- ___ Displaying antisocial behavior at and/or after age 15 (including adulthood)
- ___ Having a prior arrest history that includes four or more convictions prior to the index sexual offense
- ___ History of discipline issues while incarcerated
- ___ Psychopathy
- ___ History of treatment failure
- ___ History of supervision failure

~~Total Static Risk Variable Score: _____~~

DYNAMIC RISK VARIABLES

- ___ Unstable or untreated major mental illness (including mood disorder -or- personality disorder -or- psychotic disorder)
- ___ Negative mood -or- anger issues
- ___ Poor emotional regulation
- ___ Poor impulse control
- ___ Fragile narcissism
- ___ Poor insight
- ___ High stress lifestyle
- ___ Unstable or untreated substance abuse or dependency
- ___ Unstable or untreated paraphilia(s)
- ___ Emotional congruence with children
- ___ Attitudes supporting sexual offending
- ___ Adversarial sexual beliefs
- ___ Sexual entitlement
- ___ Sexual preoccupation
- ___ Deviant sexual preference
- ___ Sex as a method for coping

- ___ Extreme minimization of a sexual offense
- ___ Victim blaming
- ___ Loneliness or social rejection
- ___ Relationship instability
- ___ Problems developing and/or maintaining pro-social relationships
- ___ Problems avoiding negative and/or antisocial relationships
- ___ Hostile beliefs toward women
- ___ Insufficient fear of punishment or consequences
- ___ Pride in delinquent or antisocial behavior
- ___ Failure to recognize risk to re-offend
- ___ Callousness or lack of concern for others
- ___ Beliefs that support the manipulation of others
- ___ Attitudes supporting an antisocial lifestyle
- ___ Propensity to break rules
- ___ Poor problem solving skills
- ___ Negative attitudes towards treatment -or- unresponsiveness to treatment -or- rejection of treatment
- ___ Negative attitudes towards supervision -or- unresponsiveness to supervision -or- rejection of supervision
- ___ Lack of feasible plans to prevent offender from re-offending

Total Dynamic Risk Variable Score: _____